# HOW TO USE THE E-SERVICE GAP ONLINE?

The COLEAD online database (E-GAP) on plant protection products (PPPs) was released in 2018 and is accessible to all its members and beneficiaries. To date, it is one of the few sources of this information specifically dedicated to the horticultural sector in ACP countries. The Good Agricultural Practices (GAP) data for the use of specific PPPs has been obtained from a combination of sources including COLEAD PPP field trials, data from the manufacturers, and scientific literature.

E-GAP includes the pesticide Maximum Residue Levels (MRLs) set by the EU and Codex Alimentarius for key horticultural crops in ACP countries. It also provides the Good Agricultural Practices (dose rate, interval between treatments, pre-harvest intervals) that ensure compliance with these MRLs.

Additional information such as the type of pesticide, the registration status of the active substance in the EU and in the ACP countries, the classification recommended by the World Health Organisation (WHO) and the resistance group (FRAC code for fungicides; IRAC classification for insecticides) is also provided<sup>1</sup>.

The COLEAD database, E-GAP, is accessible with your login and password in the e-service section of our website: <u>here</u>.

	3	1.16	140.03	5.15	005.007	
1	COLEACP		8480481	COMMENT CO	AP SUDARANS BRENT COULACRONS C	
Contraction of the second second					PRINTPILS	
	The COLO	ACP Could App on horse I have been been called a second and the called a second and the second a			normal and an active substance to obtain of and Codes Alimentation minimum method fe and ye polytomys in the \$10 the \$10 the relation	
	chest faith and	ding to your search.	e coldred by choose a	a the view list, you	will be able to view and print the dots sheet	4
	Sex Do.in	that share a state tion are	duct meldandia ACP.	and the		×
1111						
	****		- mr -			-
	1000	ALTER CALIFORNIA	0.000	COOLEMIL	COOR AGAINCEN DESC PROCESSI	
	Arrest	Caser constants	20		view	
	Access	Accession	020.02		aller .	
	Avacado	Appuntable	92917		in the second seco	
	Arreste	Carton	602/3		tier	
	Avacado	Direthonaryk	000/7		ter	
	Avocado	Chrethcate	605/7		tier	
	Avocado	Detanetvis	000171		tier .	
	Avecado	Ology/Torethyl	605/7		time -	
	Avecado	Posel,/ stunistum	90		siex	
	Avecado	Methoryferceide	6.7	0.7	site	
	Rectado	Mancalade			sine	
	Avecado	Materiox	602/5		biter .	
						TRANSPORT (TT

COLEAD highlights the importance of following the instructions provided on the PPP product label. In addition, before applying any PPP, it is advisable to consult the latest regulatory changes in the <u>EU Pesticide</u> and <u>Codex Alimentarius databases</u>.

STDF



# USER GUIDE

### 1. GO TO COLEAD WEBSITE: https://www.colead.org

Access e-services using the link located at the top of the home page.



## 2. LOG INTO THE E-SERVICES PLATFORM

#### Click on the login button

> Accueil   COLEACP         ×         S COLEACP           ×	+
← → C 🗎 eservices.coleacp.org/en	
COLEACP	E-REQUESTS E-LIBRARY E-LEARNING COLEACPORG BREXIT
This website brings together th COLEACP and its programmes sharing and facilitate the trans educational know-how. Progra members of COLEACP have ac	coleace news to enable digital knowledge- fer of technical and mme beneficiaries and cess to all these e-services.
	FAO RESOURCES: FOOD PRICE MONITORING AND POLICY ACTIONS April 17th, 2020 Browse all the news Subscribe SERVICE CONTRACT NOTICE OF COLEACP

Enter your COLEAD username and password. Then click on Log In.

汝 Accueil   COLEACP	× S User account   COLEACP × +						
$\leftrightarrow$ $\rightarrow$ C $\cong$ eservices.	coleacp.org/en/user						07
	3					LC	
C	DLEACP	E-REQUESTS	E-LIBRARY	E-LEARNING	COLEACP.ORG	BREXIT E-GAP	Ú,
						FR   EN   PT	r   ES
Hom	ne » User account						
	USERNAME *						
-	gestion_base_gap						
	(Your username is your email address)						
	PASSWORD *						
	Enter the password that accompanies your username.						
	Request new password						
						LOG IN	

### 3. ACCESS THE E-GAP DATABASE

#### Click on the link for the e-GAP database.

Accueil   COLEACP	× S gestion_base_gap   COLEACP × +
$\leftrightarrow$ $\rightarrow$ C $\cong$ eser	rvices.coleacp.org/en/utilisateur/gestionbasegap
7	
	COLEACP E-REQUESTS E-LIBRARY E-LEARNING COLEACP.ORG BREXIT E-GAP
	FR   EN   PT   ES
	Home » My account » gestion_base_gap
	Welcome to the COLEACP e-services website!
-	You now have access to the following e-services:
	<u>e-Library</u> : an information resource centre
la ser a	<u>e-Learning</u> : a distance learning platform
	COLEACP makes these tools, and any materials developed using them, freely available to programme beneficiaries and members. You can use and reproduce them in your activities, in particular in training and support activities for producers and exporters in ACP countries.
	By using COLEACP's e-services, you agree to respect the following principles:

#### 4. SELECT A CROP

#### Use the filter to select the crop of interest.

→ C î e	services.coleacp.org/en/vue-substance	e-active-culture				
		E.PEC				
	GULEAGP				COLLACIONG	BREAT
						FR   EN   PT   ES
	Home » E-GAP					
	limits (MRLs). Additiona Organization (WHO) rec classification for insecti corresponding to your se	l information such as the type commended classification by h cides) can be obtained. By clicl earch.	of pesticide, the azard and the re king on the "view	e status of the active esistance group (FRA v" link, you will be al	e substance in the E AC code for fungici ble to view and prin	EU, the World Health des; IRAC nt the data sheet
	see the lists of plant pro	tection products registered in	ACP countries			
	CROP		ACP countries		1	
	CROP	ACTIVE SUBST	ACP countries		•	
	CROP AMARANTH AVOCADO BABY & SWEET CORN BABY LEAF	ACTIVE SUBST - ANY -	ANCE	CODEX MRL	GOOD AGRICU	JLTURAL PRACTICES
	CROP AMARANTH AVOCADO BABY & SWEET CORN BABY CORN BABY LEAF BABY PAK-CHOÏ BABY SPINACH BANNA	ACTIVE SUBST. - ANY - /E SUBSTANCE hethoxam	ANCE EU MRL 0.01 (*)	CODEX MRL 3	GOOD AGRICU View	JLTURAL PRACTICES
	CROP AMARANTH AVOCADO BABY & SWEET CORN BABY CORN BABY LEAF BABY PAK-CHOÏ BABY SPINACH BANANA BEANS (PODS) BEANS (SHELLED) BROCCOLL	ACTIVE SUBST. - ANY - /E SUBSTANCE nethoxam nethoxam	EU MRL         0.01 (*) <th0.01 (*)<="" th=""> <th0.01 (*)<="" th=""> <th< td=""><td><b>CODEX MRL</b> 3 0.3</td><td>GOOD AGRICU View View</td><td>JLTURAL PRACTICES</td></th<></th0.01></th0.01>	<b>CODEX MRL</b> 3 0.3	GOOD AGRICU View View	JLTURAL PRACTICES
	CROP AMARANTH AVOCADO BABY ASWEET CORN BABY CORN BABY LEAF BABY PAK-CHOÏ BABY SPINACH BANANA BEANS (PODS) BEANS (SHELLED) BROCCOLI CANTALOUPE MELON CARROT CARROT	ACTIVE SUBST. - ANY - /E SUBSTANCE nethoxam nethoxam nethoxam	EU MRL         0.01 (*)         <	CODEX MRL 3 0.3 3	GOOD AGRICU View View View	JLTURAL PRACTICES
	CROP AMARANTH AVOCADO BABY CORN BABY CORN BABY CORN BABY LEAF BABY PAK-CHOĬ BABY SPINACH BANNA BEANS (SHELLED) BROCCOLI CANTALOUPE MELON CARROT CASSAVA (TUBER) CAULIFLOWER	ACTIVE SUBST - ANY - /E SUBSTANCE nethoxam nethoxam nethoxam nethoxam	EU MRL         0.01 (*)         <	CODEX MRL 3 0.3 3 0.3 0.3	GOOD AGRICU View View View	JLTURAL PRACTICES

Filtering by crop allows you to display key active substances<sup>2</sup> used in ACP countries on a given crop. Before using any PPP, ensure that it is registered and authorised for use in your country (see point 7).

<sup>2</sup> Key active substances are those used/registered in one or more ACP country on horticultural crops that are frequently exported regionally or internationally.

#### **5. SELECT AN ACTIVE SUBSTANCE**

Filtering by active substance allows you to display key crops on which a given active substance is used in ACP countries. Before using any PPP, ensure that it is registered and authorised for use in your country (see point 7).

/ 0 - 0	services.coleacp.org/e	en/vue-substance-active-	culture?field_culture_tid=152&field_s	ubstance_activ	ve_tid=All			
	· · · · · · · · · · · · · · · · · · ·						LO	G OUT
	COLEACE		E-REQUESTS	E-LIBRARY	E-LEARNING	COLEACP.ORG	BREXIT E-GAI	Р
							FR	PT   E
	Home » E-GAP							
	The COLE informati limits (MF Organiza classificat correspon	EACP Good Agricultur: on on the GAPs that en RLs). Additional inform tion (WHO) recommen tion for insecticides) ca nding to your search.	al Practices (GAPs) database allo nsure compliance with current E lation such as the type of pesticio ided classification by hazard and an be obtained. By clicking on the	ws you to sel uropean Unic de, the status the resistanc e "view" link,	lect a crop and a on (EU) and Cod of the active su ce group (FRAC you will be able	an active substar lex Alimentarius ubstance in the E code for fungicio to view and prir	nce to obtain maximum residue U, the World Heal des; IRAC nt the data sheet	th
	See the lis	sts of plant protection	products registered in ACP cour	ntries				
	<u>See the li</u>	sts of plant protection	products registered in ACP cour	<u>itries</u>				
	See the li	sts of plant protection	products registered in ACP cour	<u>itries</u>				
	See the list	sts of plant protection	ACTIVE SUBSTANCE	<u>atries</u>				
	See the lis	ACTIVE SUBSTANCE	ACTIVE SUBSTANCE	Itries	CODEX	GOOD A PRACTIC	GRICULTURAL SES	
	CROP FRENCH BEAN CROP French bean	ACTIVE SUBSTANCE Abamectin	ACTIVE SUBSTANCE	ttries	CODEX MRL 0.08	GOOD A PRACTIC <u>view</u>	GRICULTURAL	
	CROP FRENCH BEAN CROP French bean French bean	ACTIVE SUBSTANCE Abamectin Acephate	ACTIVE SUBSTANCE	ttries	CODEX MRL 0.08 5	GOOD A PRACTIC View View	GRICULTURAL ZES	

### 6. ACCESS DATA ON GOOD AGRICULTURAL PRACTICES

Once you have selected your crop and active substance, you can access the Good Agricultural Practices (dose rate, interval between treatments, pre-harvest intervals) that ensure compliance with EU and CODEX MRLs (click on view).

汝 Acci	ueil   COLE	ACP X 🕄 Base o	de données BPA   COLEA 🗙 🕂					
$\leftarrow \   \rightarrow$	C	eservices.coleacp.org/en/v	ue-substance-active-culture?field_	culture_tid=152&field	substance_active	e_tid=241		
7								LOG OUT
		COLEACP		E-REQUESTS	E-LIBRARY	E-LEARNING	COLEACP.ORG	BREXIT E-GAP O
								FR   EN   PT   ES
		Home » E-GAP						
		The COLEAG information limits (MRLs Organizatio classificatio correspondi <u>See the lists</u>	CP Good Agricultural Practices on the GAPs that ensure compl ). Additional information such an (WHO) recommended classifi n for insecticides) can be obtain ng to your search. of plant protection products re	(GAPs) database al iance with current is the type of pesti cation by hazard ar ed. By clicking on t gistered in ACP co	lows you to sele European Unior cide, the status o d the resistance the "view" link, y <u>untries</u>	ect a crop and a n (EU) and Codd of the active su e group (FRAC vou will be able	n active substan ex Alimentarius bstance in the E code for fungici to view and prin	nce to obtain maximum residue U, the World Health des; IRAC ht the data sheet
			ACTI		And a line			
		PRENCH BEAN	FLOR	SENDIAMIDE	4			
		CROP	ACTIVE SUBSTANCE	EU MRL	CODEX MR	RL GO	OD AGRICULTU	RAL PRACTICES
		French bean	Flubendiamide	0.5	2	view	W	
		/ indicates there is (*) indicates lower xts	no value limit of analytical determinatio	n			3	

The figures below show the information that will be displayed for a given active substance/ crop combination.





1. **Type of pesticide.** This includes the following: acaricide/miticide, bactericide, fungicide, insecticide, nematicide, rodenticide, molluscicide, and plant growth regulator.

**WHO Class**<sup>3</sup>. The World Health Organization (WHO) classification refers to the acute risk to health that might be encountered accidentally by any person handling the product in accordance with the directions for handling by the manufacturer or in accordance with the rules laid down for storage and transportation by competent international bodies. It is composed of 6 classes (see Table 1) which distinguish between the more (Ia) and the less hazardous (U) forms of each pesticide based on the toxicity of the active substance and on its formulation. The classification is based primarily on the acute oral and dermal toxicity to the rat since these determinations are standard procedures in toxicology.

WHO (	CLASS	LD <sub>50</sub> FOR THE BODY WEIGHT)	RAT (MG/KG
		Oral	Dermal
la	Extremely hazardous	< 5	< 50
lb	Highly hazardous	5-50	50-200
П	Moderately hazardous	50-2000	200-2000
Ш	Slightly hazardous	Over 2000	Over 2000
U	Unlikely to present acute hazard	5000 or higher	

3

https://apps.who.int/iris/bitstream/handle/10665/44271/9789241547963\_eng.pdf?sequence=1&isAllowed=y

2. **Resistance group**<sup>4</sup>. Insecticide resistance can be defined as the inability of a product to achieve the expected level of control, which would be induced by a change in insect susceptibility.

There are two types of classification for the resistance group: the IRAC classification which refers to insecticide resistance, and the FRAC classification, which refers to fungicide resistance

- н. Insecticides have different modes of action which are classified by number according to the physiological functions of the insect affected. By the side of the number, there is a letter which represents the chemical class of the active substance. So, each insecticide has a chemical class and a mode of action. For example: the active substance Alpha-Cypermethrin shows a resistance group of 3A (Classification IRAC). That means that this active substance has the mode of action 3: it is a sodium channel modulator. And that the chemical class of this active substance is A which means that it is from the Pyrethroids, Pyrethrins chemical class. The IRAC classification can be accessed here.
- Fungicides also have different modes of action which are indicated by a code number printed on the product label. FRAC classifications can be accessed here.
- 3. EU Status<sup>5</sup>. This indicates the EU approval status of the PPP under Regulation EC 1107/2009 (e.g authorised or not authorised).
- 4. Maximum Residue Levels (MRL)<sup>6</sup>. A maximum residue level is the highest level of a pesticide residue that is legally tolerated in or on food or feed when the pesticide is applied correctly. By following recommended good agricultural practice (GAP), growers ensure that produce does not contain pesticides at levels above the MRLs. This, in turn, ensures that food placed on the market is safe and does not pose a risk to consumers. The amounts of residues found in food must be safe for consumers and must be as low as possible.

In some countries/regions, MRLs are referred to as maximum residue limits and in others as maximum residue levels. The term pesticide tolerance is also used by certain authorities.

Residues: The traces of pesticides remaining in treated produce are called "residues"<sup>7</sup>. Pesticide residues can result from the use of plant protection products on food or feed crops<sup>8</sup>.

Default MRL<sup>9</sup>: A general default MRL of 0,01 mg/kg applies where a specific pesticide MRL is not established or mentioned.

- 5. EU MRL<sup>10</sup>. EU Maximum Residue Levels are fixed by the European Commission according to Regulation EC 396/2005. EU MRLs are applicable to all produce grown within the EU as well as all produce that is imported from third countries. The EU pesticide database with the latest updates on MRLs currently in force can be accessed <u>here</u>.
- 6. CODEX MRLs. Maximum Residue Levels fixed by the CODEX Alimentarius. CODEX

<sup>4</sup> 

<sup>5</sup> 

<sup>6</sup> 

<sup>7</sup> 

http://www.efsa.europa.eu/en/topics/topic/pesticides#group-maximum-residue-levels-https://ec.europa.eu/food/plant/pesticides/max\_residue\_levels/eu\_rules\_en 8

<sup>9</sup> 

<sup>10</sup> 

MRLs are adopted by most countries globally (except for the EU, Japan and the USA, for example, which have their own regulatory systems). CODEX MRLs apply to domestic and regional trade in ACP countries. The CODEX Alimentarius database on MRLs can be accessed <u>here</u>.

- 7. **Good agricultural practices (GAP)**. The GAP refers to the recommended use of a PPP that will ensure compliance with the MRL in operation (EU, CODEX, or other). The GAP includes the recommended dose rate, number of applications, interval between applications, and pre-harvest interval.
- 8. **Dose rate:** The recommended quantity of PPP to be applied per unit area (or per unit volume in the case of post-harvest treatments).
- 9. **Number of applications:** The number of times that the PPP treatment can be repeated on a given crop.
- 10. **Interval between applications:** The time period between each application of the PPP.
- 11. **Pre-harvest interval:** The period between the last application of a PPP and the harvest of the product.

**LOQ:** The "Limit of Quantification", equivalent to the «Limit of determination» is the lowest concentration of a pesticide residue or contaminant that can be identified and quantitatively measured in a specified food, agricultural commodity, or animal feed with an acceptable degree of certainty by a regulatory method of analysis.

**Plant Protection Products (PPPs)**<sup>11</sup>: A PPP is something that prevents, destroys, or controls a harmful organism ('pest') or disease, or protects plants or plant products during production, storage and transport. The term includes, amongst others: herbicides, fungicides, insecticides, acaricides, nematicides, molluscicides, rodenticides, growth regulators, repellents, rodenticides and biocides. PPPs contain at least one active substance and have one of the following functions:

- protect plants or plant products against pests/diseases, before or after harvest
- influence the life processes of plants (such as substances influencing their growth, excluding nutrients)
- preserve plant products
- destroy or prevent growth of undesired plants or parts of plants

They may also contain other components including safeners and synergists.

11 https://ec.europa.eu/food/plant/pesticides/authorisation\_of\_ppp\_en

#### 7. ACCESS THE LISTS OF PPPs REGISTERED FOR USE IN ACP COUNTRIES

This section gives you access to the lists of plant protection products registered for use by the competent authorities in certain ACP countries. It only includes countries where the registered products lists are accessible online. If your country is not listed please contact the national competent authorities.

Accueil   COLE/	ACP × S Base de	données BPA   COLEA × +	ulture tid=152&field	substance active tide	=241
	∽				LOG OUT
	COLEACP		E-REQUESTS	E-LIBRARY E-LE	arning coleacp.org brexit e-gap C
	Home » E-GAP				
	The COLEACF information on limits (MRLs). Organization 1 corresponding See the lists of	P Good Agricultural Practices ( the GAPs that ensure complia Additional information such as WHO) recommended classifica or insecticides) can be obtaine to your search.	GAPs) database al ance with current t the type of pestit ation by hazard an id. By clicking on t istered in ACP cor	lows you to select a European Union (EL cide, the status of th d the resistance gro he "view" link, you w untries	crop and an active substance to obtain J) and Codex Alimentarius maximum residue le active substance in the EU, the World Health pup (FRAC code for fungicides; IRAC vill be able to view and print the data sheet
	CROP	ΑCTIV	E SUBSTANCE	in the	
	FRENCH BEAN	FLUB	ENDIAMIDE		
	CROP	ACTIVE SUBSTANCE	EU MRL	CODEX MRL	GOOD AGRICULTURAL PRACTICES
	French bean	Flubendiamide	0.5	2	view
	/ indicates there is n	o value			

Access the online list by clicking on the "download" button of the country of interest.



COUNTRIES	CONSULT
CSP Countries : Burkina Faso, Mali, Senegal, Gambia, Mauritania, Guinea-Bissau, Cap-Vert, Niger, Tchad	J
Ethiopia	Ð
Jamaica	Ð
Kenya	Ŀ
Nigeria	J
Rwanda	Ŀ
Tanzania	Q

#### COLEAD

Belgium - Rue du Trône, 130 B-1050 Brussels | Tel. +32 (02) 508 10 90 France - Rue de la corderie, 5 - Centra 342 - 94586 Rungis Cedex | Tel. +33 (0)1 41 80 02 10 network@colead.org | www.colead.org